



20V+20V

40V ONE BATTERY PACK

Li-ion
20V



Garden Tools POWER SHARED



CHANGZHOU CLEANSPEED TOOLS CO.,LTD



7.2V CORDLESS PRODUCTS





3.6V 2-in-1 Cordless Hedge Trimmer & Grass Shear

L21-003A

Voltage:	3.6V
Motor:	brush motor
No-load speed (rpm) :	1200rpm
Battery capacity:	1300 mAh
Maximum stated cutting diameter:	8.0mm
Cutting width of the scissors:	80mm
Cutting length of the trimmer:	120mm
Blade material	hardened carbon steel
Carton measurement (mm):	385×435×260 (6pcs included)
G.W/N.W(Kg):	8.2(6pcs) / 7.2(6pcs)
Pcs. per 20' FCL:	4212
Pcs. per 40' FCL:	8748
Pcs. Per 40' HQ FCL:	9720

Handle with soft grip

Grass shearing blade

Quick release button

Hedge trimmer blade

Dual-action safety switch





7.2V 2-in-1 Cordless Hedge Trimmer & Grass Shear

L21-004A

Voltage:	7.2V
Motor:	brush motor
No-load speed (rpm) :	1200rpm
Battery capacity:	1500 mAh
Maximum stated cutting diameter:	8.0mm
Cutting width of the scissors:	80mm
Cutting length of the trimmer:	120mm
Blade material	hardened carbon steel
Carton measurement (mm):	385×435×260 (6pcs included)
G.W/N.W(Kg):	8.2(6pcs) / 7.2(6pcs)
Pcs. per 20' FCL:	4212
Pcs. per 40' FCL:	8748
Pcs. Per 40' HQ FCL:	9720

Handle with soft grip

Grass shearing blade

Quick release button

Hedge trimmer blade

Dual-action safety switch



NEW



20V CORDLESS PRODUCTS





20V 23CM Cordless Grass Trimmer

L05-001A

No-load speed:	9000rpm
Cutting width:	23cm
Line diameter:	1.6mm round
Line length:	4m
Tilta adjustment:	0°— 180°
Cutting system:	nylon line
Line feed system:	auto feed
Shaft material:	aluminium
Adjustable pole total length:	840mm to 1070mm
Noise level (dB):	96db
Carton measurement (mm):	835×375×215 (4pcs included)
G.W/N.W(Kg):	10.6(4pcs) / 9.3(4pcs)
Pcs. per 20' FCL:	1892
Pcs. per 40' FCL:	3828
Pcs. Per 40' HQ FCL:	4176

Soft grip

Ergonomic handle

Auxiliary handle

Angle adjustment,
comfortable use experience

Telescopic, angle adjustment function

Suits different height and trim

Telescopic distance:0-275mm

Angle adjustment function

Trimming wheel

Sturdy protector

Automatic outgoing trimmer line





20V 2-in-1 Cordless Hedge Trimmer & Grass Shear

L21-001A

Voltage:	20V
Motor:	brush motor
No-load speed (rpm) :	1200rpm
Maximum stated cutting diameter:	8.0mm
Cutting width of the scissors:	100mm
Cutting length of the trimmer:	200mm
Blade finish	precision ground double-edged
Carton measurement (mm):	385×435×260 (6pcs included)
G.W/N.W(Kg):	8.2(6pcs) / 7.2(6pcs)
Pcs. per 20' FCL:	4212
Pcs. per 40' FCL:	8748
Pcs. Per 40' HQ FCL:	9720

Handle with soft grip

Grass shearing blade

Dual-action safety switch

Quick release button

Hedge trimmer blade





20V 2-in-1 Cordless Hedge Trimmer & Grass Shear

L21-001B

Voltage:	20V
Motor:	brush motor
No-load speed (rpm) :	1200rpm
Maximum stated cutting diameter:	8.0mm
Cutting width of the scissors:	100mm
Cutting length of the trimmer:	200mm
Blade finish	precision ground double-edged
Carton measurement (mm):	910×280×400 (4pcs included)
G.W/N.W(Kg):	10(4pcs) / 9(4pcs)
Pcs. per 20' FCL:	960
Pcs. per 40' FCL:	2080
Pcs. Per 40' HQ FCL:	2340

Handle with soft grip

Dual-action safety switch

Hedge trimmer blade

Wheel quick installation button

Angle adjustment



Soft grip

Ergonomic handle

Protection plate

Improve safety

Laser-cutting blade

Double-edged sharpened blades



20V 45CM Cordless Hedge Trimmer

L04-001A

No-load speed:	1250rpm
Blade length :	45cm
Cutting width:	41cm
Tooth distance:	16mm
Maximum stated cutting diameter:	15mm
Noise level (dB):	96db
Carton measurement (mm):	865×260×255 (4pcs included)
G.W/N.W(Kg):	12.3(4pcs)/11.2(4pcs)
Pcs. per 20' FCL:	2088
Pcs. per 40' FCL:	4356
Pcs. Per 40' HQ FCL:	4840





20V Cordless Blower

L02-007A

Motor:	brush motor
Voltage:	20V
No load speed:	13000rpm(High)/9000rpm(Low)
Power:	300W
Air speed:	120MPH(High) / 50MPH(Low)
Output wind flow:	110CFM
Carton measurement (mm):	385×335×380 (4pcs included)
G.W/N.W(Kg):	8.2/7.2
Pcs. per 20' FCL:	2520
Pcs. per 40' FCL:	5220
Pcs. Per 40' HQ FCL:	5800

Handle with soft grip

Quick release button

2 steps speed control switch





20V Mini Chainsaw

L07-005A

Voltage:	20V
Motor:	Brush motor
Power:	500W
Line speed:	4.8m/s
Chain & guide bar:	5 inch
Brake function:	Electronic brake
Carton Measurement (mm):	425×375×230 (4PCS)
G.W/N.W(Kg):	10.5/8.8 (4PCS)
Pcs. per 20' FCL:	3320
Pcs. per 40' FCL:	6840
Pcs. Per 40' HQ FCL:	7524

Powerful power system

The mini electric saw uses a very powerful pure copper motor, which has higher cutting performance, faster speed, quick heat dissipation, and prevents the machine from burning

Safety system

Press and hold the safety lock and trigger at the same time to start the saw to prevent accidental starting

Soft grip


The handle adopts non-slip design, and the grip feels comfortable.

Protective baffle

keeps you away from sawdust or other dirty

Hand tool

The machine is equipped with a chain tensioning tool



Soft grip

Ergonomic handle

Quick release button

Large air inlet

High efficiency axial flow design,
high speed, big airflow



20V Cordless Blower

L02-002A

No-load speed:	15000rpm±500
Power:	300W
Electrical current:	15A
Outlet speed:	80MPH (36.4M/S)
Output wind flow:	250CFM (7.1m³/min)
Discharge time:	2AH: 8 minutes, 4AH: 16 minutes
Noise level (dB):	96db
Carton measurement (mm):	460×410×250 (2pcs included)
G.W/N.W(Kg):	5.4/4.2
Pcs. per 20' FCL:	1260
Pcs. per 40' FCL:	2610
Pcs. Per 40' HQ FCL:	2900



Soft grip

Ergonomic handle

Brake

Quick brake ,improve safety

Guide bar & chain saw

High performance chain,
make working a pleasure



20V Cordless Chain Saw


L07-001

Rated Vol:	20V
Gearbox:	metal gear
Chain speed:	6.5m/s
Chain length:	10" bar and chain
Oil tank capacity:	270 ml (incl. oil window)
G.W/N.W(Kg):	11/8.8
Pcs. per 20' FCL:	1062
Pcs. per 40' FCL:	2214
Pcs. Per 40' HQ FCL:	2460



Lock rotary knob

Tool-free chain tensioning






20V Cordless Pole Saw

L12-001A

Voltage:	20V
Motor:	brush motor
Chain speed:	4.5m/s
Cutting diameter:	200mm(8")
Oil Tank capacity:	60ml
Material of telescopic tube:	glass fiber
Max length	2.5 m
Min length	1.9 m
Carton measurement (mm):	1320×335×165 (2pcs included)
G.W/N.W(Kg):	8(2pcs) / 7(2pcs)
Pcs. per 20' FCL:	812
Pcs. per 40' FCL:	1736
Pcs. Per 40' HQ FCL:	1984






20V Cordless Pole Hedge Trimmer

L11-001A

Voltage:	20V
Motor:	brush motor
No-load speed (rpm) :	1250rpm
Maximum stated cutting diameter:	15mm
Blade length:	45cm
Blade material:	hardened carbon steel
Cutting length	41cm
Max length	2.5 m
Min length	1.9 m
Carton measurement (mm):	1320×335×165 (2pcs included)
G.W/N.W(Kg):	8(2pcs) / 7(2pcs)
Pcs. per 20' FCL:	812
Pcs. per 40' FCL:	1736
Pcs. Per 40' HQ FCL:	1984



2 options for hedge trimmer and pole saw





20V Mini Lawn Mower

L01-014A

Voltage:	20V
Cutting height:	30-50mm (3 steps)
Motor:	Brush motor
Rated power:	600W
Working speed:	5500rpm
Mowing diameter:	25cm
Rear wheel diameter 50mm; Front wheel diameter 140mm	
Carton Measurement (mm):	550×370×205
G.W/N.W(Kg):	4.5/3.8
Pcs. per 20' FCL:	690
Pcs. per 40' FCL:	1478
Pcs. Per 40' HQ FCL:	1700



Push rod vertical placement



Wall hanging function

Battery compartment(can place 20V8Ah battery)

LED light



The push rod can be 0-90° infinitely adjustable angle

Central height-adjustment



Single handle switch

Dual-action switch, easy to control, safe and more thoughtful

Lock knob

Foldable handle, stable and reliable

Full plastic grass box

High strength, Convenient for cleaning shredded grass

Battery compartment

Handle

Easy to transport after folding



20V 32CM Cordless Lawn Mower

L01-001B

No-load speed:	3400rpm
Height adjustment:	30-50-70mm with 3 position, single
Cutting width:	32cm
Drive type:	hand push
Wheel:	front 140mm & rear 140mm
Grass box:	all plastic (30L)
Noise level (dB):	96db
Carton measurement (mm):	570×395×300
G.W/N.W(Kg):	7.7/6.6
Pcs. per 20' FCL:	399
Pcs. per 40' FCL:	854
Pcs. Per 40' HQ FCL:	976



Single handle switch

Dual-action switch, easy to control, safe and more thoughtful

Soft grip

Ergonomic design

Lock knob

Foldable handle, stable and reliable

Battery compartment

Full plastic grass box

High strength, convenient for cleaning shredded grass

Handle

Easy to transport after folding



20V 33CM Cordless Lawn Mower

L01-002A

No-load speed:	3400rpm
Height adjustment:	30-50-70mm with 3 position, single
Cutting width:	33cm
Drive type:	hand push
Wheel:	front 140mm & rear 140mm
Grass box:	all plastic (30L)
Noise level (dB):	96db
Carton measurement (mm):	580×410×330
G.W/N.W(Kg):	7.7/6.6
Pcs. per 20' FCL:	392
Pcs. per 40' FCL:	812
Pcs. Per 40' HQ FCL:	910



Single handle switch

Dual-action switch, easy to control, safe and more thoughtful

Lock knob

Foldable handle, stable and reliable

Full plastic grass box

High strength, convenient for cleaning shredded grass

Battery compartment

Handle

Easy to transport after folding



20V 32CM Cordless Lawn Mower

L01-003B

No-load speed:	2800-3400rpm
Height adjustment:	30-50-70mm with 3 position, single
Cutting width:	32cm
Drive type:	hand push
Wheel:	front 140mm & rear 140mm
Grass box:	all plastic (30L)
Noise level (dB):	96db
Carton measurement (mm):	570×395×300
G.W/N.W(Kg):	7.7/6.6
Pcs. per 20' FCL:	399
Pcs. per 40' FCL:	854
Pcs. Per 40' HQ FCL:	976



Single handle switch

Dual-action switch, easy to control, safe and more thoughtful

Soft grip

Ergonomic design

Lock knob

Foldable handle, stable and reliable

Battery compartment

Full plastic grass box

High strength, convenient for cleaning shredded grass

Handle

Easy to transport after folding



20V 33CM Cordless Lawn Mower

L01-004A

No-load speed:	3400rpm
Height adjustment:	30-50-70mm with 3 position, single
Cutting width:	33cm
Drive type:	hand push
Wheel:	front 140mm & rear 140mm
Grass box:	all plastic (30L)
Noise level (dB):	96db
Carton measurement (mm):	580×410×330
G.W/N.W(Kg):	7.7/6.5
Pcs. per 20' FCL:	392
Pcs. per 40' FCL:	812
Pcs. Per 40' HQ FCL:	910





40V CORDLESS PRODUCTS





40V(20Vx2) Cordless Axial Flow Blower

L02-005A

No-load speed:	14000/16000/18000/20000rpm
Power:	1000W
Voltage:	40V (20Vx2)
Wind speed (m/s):	33.5/38.5/42.5/45.5 M/S
Wind volume(cfm):	220/250/280/320 cfm
Noise level (dB):	102db
Carton measurement (mm):	500×452×552 (4pcs included)
G.W/N.W(Kg):	5/3.8
Pcs. per 20' FCL:	756
Pcs. per 40' FCL:	1596
Pcs. Per 40' HQ FCL:	1862

Handle with soft grip

Ergonomic handle

Soft button control panel

Transparent air tube,
highlight deflector

Fast release button, easy
for fast detachable tube

Dual Battery
Compartment

Honeycomb shaped design

Enhance the strength





40V(20Vx2) Cordless Brush Cutter & Grass Trimmer 2 in 1

L05-004A

Voltage:	40V (20Vx2)
Rated power:	650W
No-load speed (rpm) :	5000rpm(Low)/6500rpm(High)
Grass trimmer cutting width:	400mm
Cutting line diameter:	2.0mm
Brush cutter cutting width:	255mm
Blade thickness:	2.0mm
Noise level (dB):	96db
Carton measurement (mm):	970*225*270 (2pcs included)
G.W/N.W(Kg):	7(2pcs) / 5.2(2pcs)
Pcs. per 20' FCL:	944
Pcs. per 40' FCL:	2000
Pcs. Per 40' HQ FCL:	2240

Dual-action safety switch

Handle with Soft Grip

Bicycle handle

Dual battery compartment

Handle angle adjustable rotary knob

Brush cutter & grass trimmer ,2 in 1 function

Tap&go trimmer line

2 options for D handle and bicycle handle





40V(20Vx2) 32CM Cordless Lawn Mower

L01-005B-1

No-load speed:	2800-3400rpm
Height adjustment:	30-70mm with 5 position, central
Cutting width:	32cm
Drive type:	hand push
Wheel:	front 140mm & rear 140mm
Grass box:	all plastic (30L)
Noise level (dB):	96db
Carton measurement (mm):	570×395×320
G.W/N.W(Kg):	8.3/7.2
Pcs. per 20' FCL:	399
Pcs. per 40' FCL:	854
Pcs. Per 40' HQ FCL:	976

Single handle switch

Dual-action switch, easily control, safe and convenient, safe and more thoughtful

Lock knob

Foldable handle, stable and reliable

Battery compartment

Full plastic grass box

High strength, convenient for cleaning shredded grass

Handle

Easy to transport after folding



Single handle switch

Dual-action switch, easy to control, safe and more thoughtful

Soft grip

Ergonomic design

Lock knob

Foldable handle stable and reliable

Full plastic grass box

High strength, convenient for cleaning shredded grass

Dual battery compartment

Handle

Easy to transport after folding



40V(20Vx2) 33CM Cordless Lawn Mower

L01-006A-1

No-load speed:	2800-3400rpm
Height adjustment:	30-70mm with 5 position, central
Cutting width:	33cm
Drive type:	hand push
Wheel:	front 140mm & rear 140mm
Grass box:	all plastic (30L)
Noise level (dB):	96db
Carton measurement (mm):	580×410×330
G.W/N.W(Kg):	8.3/7.2
Pcs. per 20' FCL:	392
Pcs. per 40' FCL:	812
Pcs. Per 40' HQ FCL:	910





40V 32CM Cordless Lawn Mower

LIL21009-1

No-load speed:	3300rpm
Height adjustment:	20-38-56mm with 3 position, single
Cutting width:	32cm
Drive type:	hand push
Wheel:	front 140mm & rear 140mm
Grass box:	all plastic (30L)
Noise level (dB):	96db
Carton measurement (mm):	580×410×330
G.W/N.W(Kg):	11.2/9.3
Pcs. per 20' FCL:	392
Pcs. per 40' FCL:	812
Pcs. Per 40' HQ FCL:	928



Soft grip

Ergonomic design

Full handle switch

Dual-action switch, easy to control, safe and more thoughtful

Quick clamp

Foldable handle for easy transport and compact storage

Full plastic grass box

High strength, convenient for cleaning shredded grass

Battery compartment

Handle

Easy to transport after folding

Handle adjustment

Choose height that suits oneself





40V(20Vx2) 38CM Cordless Lawn Mower

L01-007B

No-load speed:	2800-3400rpm
Height adjustment:	30-75mm with 5 position, central
Cutting width:	38cm
Drive type:	hand push
Wheel:	front 140mm & rear 178mm
Grass bag:	plastic top + fabric (42L)
Noise level (dB):	96db
Carton measurement (mm):	685×430×330
G.W/N.W(Kg):	13/11.5
Pcs. per 20' FCL:	294
Pcs. per 40' FCL:	616
Pcs. Per 40' HQ FCL:	704

Soft grip

Ergonomic design

Full handle switch

Dual-action switch, easy to control, safe and more thoughtful

Lock knob

Stable and reliable

Handle

Convenient for transport after folding

Big collection bag

42 Big grass bag, for effective working

Dual battery compartment

Large wheels

For easy pushing

Handle with foldable function

Easy to storage and transport

Central height adjustment

Easy to adjust cutting height, improve working efficiency





40V(20Vx2) 43CM Cordless Lawn Mower

L01-008B

No-load speed:	2800-3400rpm
Height adjustment:	30-75mm with 5 position, central
Cutting width:	43cm
Drive type:	hand push
Wheel:	front 178mm & rear 235mm
Grass bag:	plastic top + fabric (52L)
Noise level (dB):	96db
Carton measurement (mm):	790×510×370
G.W/N.W(Kg):	14.5/12.5
Pcs. per 20' FCL:	192
Pcs. per 40' FCL:	408
Pcs. Per 40' HQ FCL:	476





40V(20Vx2) 46CM Cordless Lawn Mower

L01-010A

Voltage:	40V(20Vx2)
No-load speed:	2800-3200rpm
Height adjustment:	25-75mm with 8 position, central
Cutting width:	46cm
Drive type:	hand push
Wheel:	front 178mm & rear 250mm
Grass bag:	65L
Noise level (dB):	96db
Insert 4pcs batteries at the same time , each 2 pcs batteries in a group;the first group batteries discharged, then automatically switches to the second group	
Carton measurement (mm):	775*560*430
G.W/N.W(Kg):	22/20
Pcs. per 20' FCL:	150
Pcs. per 40' FCL:	315
Pcs. Per 40' HQ FCL:	378



Dual-action safety switch
Enhance safety

Quick clamp
Easy to fold handle

4- Battery compartment
Provide extra power and longer runtime

3-Position angle adjustment
Suitable for users of different Height

Central height adjustment
Easy to adjust cutting height enhance working efficiency

Front carry handle
Convenient for transport





40V(20Vx2) 46CM Cordless Self-Propelled Lawn Mower

L01-010B

Voltage:	40V(20Vx2)
No-load speed:	2800-3200rpm
Height adjustment:	25-75mm with 8 position, central
Cutting width:	46CM
Drive type:	self-propelled
Wheel:	front 178mm & rear 250mm
Grass bag:	65L
Noise level (dB):	96db
Insert 4pcs batteries at the same time , each 2 pcs batteries in a group;the first group batteries discharged, then automatically switches to the second group	
Carton measurement (mm):	775*560 *430
G.W/N.W(Kg):	22/20
Pcs. per 20' FCL:	150
Pcs. per 40' FCL:	315
Pcs. Per 40' HQ FCL:	378

Self-propelled switch lever

Electric self-propelled speed control

Quick clamp

Easy to fold handle

4- Battery compartment

Provide extra power and longer runtime

Side discharge

Front carry handle

Convenient for transport

Dual-action safety switch

Enhance safety

3-Position angle adjustment

Suitable for users of different height

Central height adjustment

Easy to adjust cutting height enhance working efficiency





40V(20Vx2) 51CM Cordless Lawn Mower

L01-011A

Voltage:	40V(20Vx2)
No-load speed:	2800-3200rpm
Height adjustment:	25-75mm with 8 position, central
Cutting width:	51cm
Drive type:	Hand push
Wheel:	front 178mm & rear 250mm
Grass bag:	65L
Noise level (dB):	96db
Insert 4pcs batteries at the same time , each 2 pcs batteries in a group;the first group batteries discharged, then automatically switches to the second group	
Carton measurement (mm):	825*570*430
G.W/N.W(Kg):	18.5/20.5
Pcs. per 20' FCL:	140
Pcs. per 40' FCL:	280
Pcs. Per 40' HQ FCL:	336



Dual-action safety switch
Enhance safety

Quick clamp
Easy to fold handle

4- Battery compartment
Provide extra power and longer runtime

3-Position angle adjustment
Suitable for users of different height

Central height adjustment
Easy to adjust cutting height enhance working efficiency

Front carry handle
Convenient for transport





40V(20Vx2) 51CM Cordless Self-Propelled Lawn Mower

L01-011B

Voltage:	40V(20Vx2)
No-load speed:	2800-3200rpm
Height adjustment:	25-75mm with 8 position, central
Cutting width:	51CM
Drive type:	self-propelled
Wheel:	front 178mm & rear 250mm
Grass bag:	65L
Noise level (dB):	96db
Insert 4pcs batteries at the same time , each 2 pcs batteries in a group;the first group batteries discharged, then automatically switches to the second group	
Carton measurement (mm):	825*570*430
G.W/N.W(Kg):	23/21
Pcs. per 20' FCL:	140
Pcs. per 40' FCL:	280
Pcs. Per 40' HQ FCL:	336

Self-propelled switch lever

Electric self-propelled speed control

Quick clamp

Easy to fold handle

4- Battery compartment

Provide extra power and longer runtime

Side discharge

Front carry handle

Convenient for transport

Dual-action safety switch

Enhance safety

3-Position angle adjustment

Suitable for users of different height

Central height adjustment

Easy to adjust cutting height enhance working efficiency



Soft grip

Ergonomic design

Full handle switch

Dual-action switch, easy to control, safe and more thoughtful

Quick clamp

Foldable handle for easy transport and compact storage

Central height adjustment

Easy to adjust cutting height, improve working efficiency

Large wheels

For easy pushing

Dual battery compartment

45L Big grass catcher

For efficient working



Handle adjustment

Choose height that suits oneself



40V(20Vx2) 37CM Cordless Scarifier and Aerator and Sweeper 3-in-1

Suitable for three options



L03-002A

No-load speed:	3600rpm
Height adjustment:	-3-6-9-12+10mm with 5 position, central
Cutting width:	37cm
Drive type:	hand push
Wheel:	front 200mm & rear 165mm
Grass bag:	all fabric (45L)
Noise level (dB):	99db
Carton measurement (mm):	640×540×300
G.W/N.W(Kg):	12.2/10.2
Pcs. per 20' FCL:	238
Pcs. per 40' FCL:	525
Pcs. Per 40' HQ FCL:	600





40V(20Vx2) Cordless Leaf and Lawn Collector

L19-001A

Rated Vol:	40V (20Vx2)
Motor:	brush motor
Variable speed:	320-450rpm
Sweeper width:	560mm
Adjustment range:	0-40 mm
Wheel size:	250 mm
Collection bag capacity:	100L
Carton measurement (mm):	600×490×300
G.W/N.W(Kg):	13/10.9
Pcs. per 20' FCL:	294
Pcs. per 40' FCL:	637
Pcs. Per 40' HQ FCL:	728



Full handle switch

Height adjustment

Dual battery compartment





40V (20Vx2) Cordless Sweeper

L18-001A

Rated Vol:	40V (20Vx2)
Disk brush working speed:	200rpm
Cylindrical brush working speed:	500rpm
Sweeper width:	680mm
Disk brush diameter:	270mm X 2 pcs
Rear wheel:	200mm PVC rubberised wheel
Front caster wheel:	50mm PVC rubberised wheel
Waste container capacity:	24L
Carton measurement (mm):	630x550x290
G.W/N.W(Kg):	12.5/11
Pcs. per 20' FCL:	296
Pcs. per 40' FCL:	616
Pcs. Per 40' HQ FCL:	693





PROFESSIONAL
GARDENING
TOOLS

CHANGZHOU CLEANSPEED TOOLS CO.,LTD

 Jason

 +86 18052508899

 wangbo@cleanspeedtools.com